

GRANT  
IN-90 ER  
157625  
P.7

March 18, 1993

Final Report

Grant No. NAGW-319 Basic  
1 February 1982 to 14 January 1993

PHOTOABSORPTION AND PHOTODISSOCIATION OF MOLECULES IMPORTANT IN THE  
INTERSTELLAR MEDIUM

Submitted by:

Long C. Lee and Masako Suto  
Department of Electrical and Computer Engineering  
San Diego State University  
San Diego, California 92182

Prepared for :

NASA Headquarters  
Washington, DC 20546

Attention: Dr. Lawrence J. Caroff  
Astrophysics Division  
Code EZ

(NASA-CR-192829) PHOTOABSORPTION  
AND PHOTODISSOCIATION OF MOLECULES  
IMPORTANT IN THE INTERSTELLAR  
MEDIUM Final Report, 1 Feb. 1982 -  
14 Jan. 1993 (San Diego State  
Univ.) 7 p

N93-24488

Unclass

G3/90 0157625

## Table of Contents

I.	Introduction.....	3
II.	Research Accomplished.....	3
	A. Photoabsorption and Fluorescence Cross Sections of Interstellar Molecules and Radicals.....	3
	B. IR Emission from UV Excitation of Aromatic Molecules.....	4
III.	Publications.....	5

## I. Introduction

The photoabsorption, photodissociation, and fluorescence cross sections of interstellar molecules and radicals have been measured in the vacuum ultraviolet region. These quantitative optical data are useful for the understanding of the formation and destruction processes of molecules under the intense interstellar UV radiation field. IR emissions from UV excitation of aromatic molecules have also been observed in this research program. The research results are useful for studying the sources of the "unidentified" interstellar infrared (UIR) emission bands.

## II. Research Accomplished

The research results accomplished in the period from February 1, 1982 to January 14, 1993 are summarized below:

### A. Photabsorption and Fluorescence Cross Sections of Interstellar Molecules and Radicals

The photoabsorption and fluorescence cross sections of interstellar molecules, such as  $\text{Cl}_2$ ,  $\text{HCl}$ ,  $\text{HBr}$ ,  $\text{H}_2\text{O}$ ,  $\text{CH}_2\text{O}$ ,  $\text{NO}_2$ ,  $\text{SO}_2$ ,  $\text{CS}_2$ ,  $\text{OCS}$ ,  $\text{N}_2\text{O}$ ,  $\text{H}_2\text{S}$ ,  $\text{CH}_4$ ,  $\text{NH}_3$ ,  $\text{C}_2\text{H}_2$ ,  $\text{H}_2\text{O}_2$ ,  $\text{CH}_3\text{OH}$ ,  $\text{CH}_3\text{SH}$ ,  $\text{HONO}_2$ ,  $\text{C}_2\text{H}_5\text{OH}$ ,  $\text{HCOOH}$ ,  $\text{HCOOCH}_3$ , aromatic hydrocarbons, etc., were measured in the 90-250 nm region using synchrotron radiation as a light source. Optical emissions from excited photofragments produced by VU excitation of these molecules were dispersed, and the emitting species were identified by the fluorescence spectra. The photoabsorption cross sections of the interstellar radicals, such as  $\text{OH}$ ,  $\text{OD}$ ,  $\text{CN}$ ,  $\text{SO}$ , etc., were measured in the 106-200 nm region. The results have been summarized in the papers that are shown in the publication list.

## B. IR Emission from UV Excitation of Aromatic Molecules

IR emissions were observed from UV excitation of aromatic molecules in the gas phase, such as benzene( $C_6H_6$ ), toluene( $C_6H_5CH_3$ ), xylenes( $C_6H_4(CH_3)_2$ ), naphthalene( $C_{10}H_8$ ), phenanthrene( $C_{14}H_{10}$ ), anthracene( $C_{14}H_{10}$ ), pyrene( $C_{16}H_{10}$ ), methylanthracene ( $C_{14}H_9CH_3$ ), etc. An  $3.3\ \mu m$  band is commonly observed from all the aromatic molecules studied, and additional bands in the  $3.4$ - $3.6\ \mu m$  region are observed from the methyl-derivatives of aromatic molecules. The  $3.3\ \mu m$  band is attributed to the aromatic C-H vibrational mode, and the  $3.4$ - $3.6\ \mu m$  band to the vibrational modes of the  $CH_3$  groups. The results are summarized in the papers as shown in the publication list.

The observed spectra are compared with the IR emissions universally observed in many astronomical objects. The current spectra are very similar to the UIR emission band as shown in the Fig. 5 in the paper published in *Astrophysical Journal* 383, 459 (1991). IR emissions from UV excitation of many interstellar molecules other than the PAHs are also observed. It is found that the spectra from non-PAH molecules are quite different from the UIR bands; thus, the non-PAHs are not responsible for the UIR bands.

### III. Publications

1. "Fluorescence Yields from Photodissociation of  $\text{NO}_2$  at 1060-1620 Å", L. C. Lee and C. C. Chiang, J. Chem. Phys. 76, 4462 (1982).
2. "Fluorescence Yields from Photodissociation of  $\text{SO}_2$  at 1060-1330 Å", with M. Suto and R. L. Day, L. C. Lee, J. Phys. B: Atom Molec. Phys. 15, 4165 (1982).
3. "Photodissociation Yields of  $\text{CS}_2$  at 1060-1520 Å", R. L. Day, M. Suto and L. C. Lee, J. Phys. B: Atom. Molec. Phys. 15, 4403 (1982).
4. "Fluorescence Yields from Photodissociation of  $\text{OCS}$  at 1060-1240 Å", L. C. Lee and C. C. Chiang. Chem. Phys. Lett. 92, 425 (1982).
5. "Fluorescence Yields from Photofragments of  $\text{CH}_4$ ", L. C. Lee and C. C. Chiang, J. Chem. Phys. 78, 688 (1983).
6. "Photoabsorption Spectrum of Radicals Produced by a Pulsed-Discharge of Trace  $\text{H}_2\text{O}$  in Ar", R. L. Day and L. C. Lee, Chem. Phys. 75, 17 (1983).
7. "Photodissociation Processes of  $\text{NH}_3$  at 106-190 nm", with Masako Suto and L. C. Lee, J. Chem. Phys. 78, 4515 (1983).
8. " $\text{OH}(A^2\Sigma^+ \rightarrow X^2\Pi)$  Yield from Photodissociation of  $\text{H}_2\text{O}_2$  at 106-193 nm", Masako Suto and L. C. Lee, Chem. Phys. Lett. 98, 152 (1983).
9. "Emission Spectra of CF Radicals. V. Photodissociation of  $\text{CF}_3\text{H}$ ,  $\text{CF}_3\text{Cl}$  and  $\text{CF}_3\text{Br}$  by Vacuum Ultraviolet", Masako Suto and L. C. Lee, J. Chem. Phys. 79, 1127 (1983).
10. "Production and Quenching of Excited Photofragments of  $\text{N}_2\text{O}$ ", L. C. Lee and M. Suto, J. Chem. Phys. 80, 4718 (1984).
11. "Quantitative Photoexcitation and Fluorescence Studies of  $\text{C}_2\text{H}_2$  in Vacuum Ultraviolet", M. Suto and L. C. Lee, J. Chem. Phys. 80, 4824 (1984).
12. "Photoabsorption Cross Sections of OH at 115-183 nm", J. B. Nee and L. C. Lee, J. Chem. Phys. 81, 31 (1984).
13. "Photodissociation Rates of Molecules in Interstellar Radiation Field", L. C. Lee, Astrophys. J., 282, 172 (1984).
14. "Photoabsorption and Photodissociation of  $\text{HONO}_2$  in the 105-226 nm Region", M. Suto and L. C. Lee, J. Chem. Phys. 81, 1294 (1984).
15. "Photoabsorption Cross Section of OD at 115-180 nm", J. B. Nee and L. C. Lee, J. Chem. Phys. 81, 3811 (1984).
16. "Photodissociation Rates of OH, OD and CN by the Interstellar Radiation Field", J. B. Nee and L. C. Lee, Astrophys. J. 291, 202 (1985).

17. "Photoabsorption Cross Section of HF", J. B. Nee, M. Suto and L. C. Lee, J. Phys. B: Atom. Molec. Phys. 18, L293 (1985).
18. "Br<sup>\*</sup> Fluorescence from VUV Photodissociation of HBr", J. B. Nee, M. Suto and L. C. Lee, J. Chem. Phys. 83, 2001 (1985).
19. "Photoexcitation Processes of CH<sub>3</sub>OH; Rydberg States and Photofragment Fluorescence", J. B. Nee, M. Suto and L. C. Lee, Chem. Phys. 98, 147 (1985).
20. "Photoabsorption Cross Section of CH<sub>3</sub>CN; Photodissociation Rates by Solar Flux and Interstellar Radiation Field", M. Suto and L. C. Lee, J. Geophys. Res. 90, 13037 (1985).
21. "Quantitative Absorption and Fluorescence Studies of SiH<sub>4</sub> in Vacuum Ultraviolet", M. Suto and L. C. Lee, J. Chem. Phys. 84, 1160 (1986).
22. "Quantitative VUV Spectroscopy of Cl<sub>2</sub>", L. C. Lee, M. Suto and K. Y. Tang, J. Chem. Phys. 84, 5277 (1986).
23. "Vacuum Ultraviolet Photoabsorption Study of SO Radical", J. B. Nee and L. C. Lee, J. Chem. Phys. 84, 5303 (1986).
24. "Quantitative Photoabsorption and Fluorescence Study of HCl in Vacuum Ultraviolet", J. B. Nee, M. Suto and L. C. Lee, J. Chem. Phys. 85, 719 (1986).
25. "Quantitative Spectroscopy Study of HBr in the 105-235 nm Region", J. B. Nee, M. Suto and L. C. Lee, J. Chem. Phys. 85, 4919 (1986).
26. "Fluorescence from VUV Excitation of Formaldehyde", M. Suto, X. Wang, and L. C. Lee, J. Chem. Phys. 85, 4228 (1986).
27. "Quantitative Photoabsorption and Fluorescence Study of H<sub>2</sub>O and D<sub>2</sub>O at 50-190 nm", L. C. Lee and M. Suto, Chem. Phys. 110, 161 (1986).
28. "Fluorescence from Extreme Ultraviolet Photoexcitation of CF<sub>4</sub>", L. C. Lee, X. Wang and M. Suto, J. Chem. Phys. 85, 6294 (1986).
29. "CF<sub>2</sub> and CFCl Fluorescence from VUV Excitation of C<sub>2</sub>F<sub>3</sub>Cl", J. B. Nee, X. Wang, M. Suto and L. C. Lee, Chem. Phys. 113, 265 (1987).
30. "Quantitative Photoabsorption and Fluorescence Spectroscopy of H<sub>2</sub>S and D<sub>2</sub>S at 50-240 nm", L. C. Lee, X. Wang and M. Suto, J. Chem. Phys. 86, 4353 (1987).
31. "Fluorescence Yields from Photodissociative Excitation of Chloromethanes by Vacuum Ultraviolet Radiation", L. C. Lee and M. Suto, Chem. Phys. 114, 423 (1987).
32. "Fluorescence Yields from Photodissociative Excitation of HCOOH, HCOOCH<sub>3</sub>

- and  $\text{CH}_3\text{COOH}$  in the Vacuum Ultraviolet Region", M. Suto, X. Wang and L. C. Lee, J. Phys. Chem., 92, 3764 (1988).
33. " $\text{CH}(\text{A}, \text{B} - \text{X})$  Fluorescence from Vacuum Ultraviolet Excitation of  $\text{CH}_3$ ", C. Ye, M. Suto and L. C. Lee, J. Chem. Phys. 89, 2797 (1988).
  34. " $\text{CH}_3\text{O}(\tilde{\text{A}} - \tilde{\text{X}})$  Fluorescence from Photodissociation of Dimethyl Ether", L. C. Lee, M. Suto and C. Ye, J. Chem. Phys. 89, 6555 (1988).
  35. "Fluorescence from Photoexcitation of  $\text{C}_2\text{H}_2$  at 50 -106 nm", J. C. Han, C. Ye, M. Suto and L. C. Lee, J. Chem. Phys. 90, 4000 (1989).
  36. "Fluorescence from Photoexcitation of  $\text{C}_2\text{H}_5\text{OH}$  by Vacuum Ultraviolet Radiation", J. C. Han, M. Suto and L. C. Lee, J. Quant. Spectrosc. Radiat. Transfer, 42, 557 (1989).
  37. "Fluorescences from Photoexcitation of  $\text{CF}_3\text{X}$  (X = H, Cl and Br) at 50-106 nm", L. C. Lee, J. C. Han, C. Ye, and M. Suto, J. Chem. Phys. 92, 133 (1990).
  38. "Fluorescence from Photoexcitation of  $\text{Cl}_2$  at 50 -105 nm", G. Ma, C. Ye, M. Suto and L. C. Lee, J. Phys. B: At. Mol. Opt. Phys., 23, 1831 (1990).
  39. "Fluorescence from Excitation of  $\text{CH}_4$ ,  $\text{CH}_3\text{OH}$ , and  $\text{CH}_3\text{SH}$  by Extreme Vacuum Ultraviolet Radiation", G. Ma, M. Suto and L. C. Lee, J. Quant. Spectrosc. Radiat. Transfer, 44, 379 (1990).
  40. "Infrared Emission from Dissociative Excitation of  $\text{HONO}_2$  at 193 nm", J. Shan, M. Suto, Y. G. Jin and L. C. Lee, J. Quant. Spectrosc. Radiat. Transfer, 45, 139 (1991).
  41. "3.3  $\mu\text{m}$  Emission from UV Excitation of Some Aromatic Molecules", J. Shan, M. Suto and L. C. Lee, Astrophys. J. 383, 459 (1991).
  42. "Infrared Emission from UV Excitation of Benzene and Methyl-Derivatives", J. Shan, M. Suto and L. C. Lee, J. Photochem. Photobio., A : Chem. 63, 139 (1991).
  43. "Quantitative Photoabsorption and Fluorescence Spectroscopy of benzene, naphthalene, and Some Derivatives at 106 - 295 nm", M. Suto, X. wang, J. Shan and L. C. Lee, J. Quant. Spectrosc. Radiat. Transfer, 48, 79 (1992).
  44. "IR Fluorescence Yields from UV Excitation of Nitric Acid, Benzene, Naphthalene and methyl-Derivatives", J. Shan, M. Suto and L. C. Lee, J. Photochem. Photobio. A : Chem. in press (1993).